

EAST Search History

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	radkowitsch-wolfgang.in.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:04
L2	11	metzner-klaus.in.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:04
L3	1	bleicher-friedrich.in.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:04
L4	11	1 or 2 or 3	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:04
L6	1	(drill and diameter and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (normal or perpendicular) and angle and (half or halving or bisect\$3) and range).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:10
L7	1	(drill and diameter and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (electromagnetic adj radiation) and (emit or emitting) and (cylinder adj casing)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:12

L8	1	(drill and diameter and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (normal or perpendicular) and angle and (half or halving or bisect\$3) and range and depth and ratio).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:13
L9	1	(drill and diameter and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (normal or perpendicular) and angle and (half or halving or bisect\$3) and range and depth and ratio and (piezoelectric adj element)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:15
L10	1	(drill\$3 and (single adj lip) and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (cylinder adj casing) and (radial adj force) and (pressure adj cushion)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:18
L11	1	(drill\$3 and (single adj lip) and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (cylinder adj casing) and (radial adj force) and (piezoelectric adj element)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:21

L12	1	(drill and diameter and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (normal or perpendicular) and angle and (half or halving or bisect\$3) and (tip near\$5 rounded)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:24
L13	1	(drill\$3 and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (cylinder adj casing) and angle and (piezoelectric adj element)).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:25
L14	1	(drill and diameter and (fluid or coolant) and (outlet or channel or hole) and (bead or flute or groove) and offset and (normal or perpendicular) and angle and (half or halving or bisect\$3) and (tip near\$5 rounded) and ratio and depth).clm.	US-PGPUB; USPAT; UPAD	OR	ON	2010/07/14 13:26

7/ 14/ 10 1:27:35 PM

C:\ Documents and Settings\ dhowell\ My Documents\ EAST\ Workspaces\ 10588040. wsp